

DATASHEET/
TABLA ASPEN WHITE POLISHED



TABLA ASPEN WHITE POLISHED

Model: TABLA ASPEN WHITE POLISHED

Codes: 100200220 - L108043291

Group: G-281

Thickness: 20 mm



TABLA ASPEN WHITE POLISHED

L108043291 - 100200220

RECOMMENDATIONS

Recommended adhesive	100031188 SUPER-ONE N BLANCO	
Recommended joint	100236834 COLORSTUK RAPID GRIS N	
Recommended joint (wet area)	100236834 COLORSTUK RAPID GRIS N	100086920 FILA FOB EXTREME
Recommended adhesive (wet area)	100031188 SUPER-ONE N BLANCO	

TOLERANCES

Indoor tolerance	1.5 mm (ancho), 1 mm (largo), $\pm 10\%$ (espesor)	EN 1469:2004 EN 12058:2004*
Outdoor tolerance	± 4 mm (ancho), ± 4 mm (largo), $\pm 3\%$ (espesor)	UNE-EN 1341:2002*

LABORATORY TESTS

Bulk density	2791 Kg/m ³	UNE-EN 1936:2007*
Water absorption at atmospheric pressure	0.32%	UNE-EN 13755:2008*
Flammability	A1f l/A1	UNE-EN 13501-1:2007+A1:2010*
Frost resistance	0.067%	UNE-EN 12371:2011*
Resistance to abrasion (except g.7-8)	0.28	UNE-EN 14157:2005*
Uniaxial compressive strength	106.1 MPa	UNE-EN 1926:2007*
Flexural strength	4.6 MPa	UNE-EN 12372:2007*

FEATURES







 There are slight color changes between pieces.	 Material from a European country.
 Material suitable for use on indoor walls.	 Material with surface with the ability to produce reflections.
 Material suitable for use on shower walls.	 Material suitable for use on indoor floors.



TABLA ASPEN WHITE POLISHED

L108043291 - 100200220

PACKING

Boxes	1 M2/BOX
Pallets	10 M2/PAL
Units	1 M2/PIECE
Sale unit	M2
Base unit	M2
Net weight	55.807 KG/M2
Gross weight	62.83 KG/M2



ALTISSIMA STONE

Carretera Nacional 340, km 55.8

12540 Vila-real, Castellón, Spain

t +34 964 53 45 45

info@altissimastone.com

www.altissimastone.com

